.

	BL2000-HEH-M2.3	
	5.6 A TFT	
	` /1	
p	122mm*152mm*26.5mm	

[illegible]

+[illegible] [illegible] Ç

+[illegible] Æ [illegible] Ç

[illegible] Æ [illegible] Ç

4([illegible] Æ [illegible] 5-20 V bmp rE 4(} [illegible] µÇ

C[illegible] Æ [illegible] LOGO [illegible] ,L*= [illegible] Ç

USB *[illegible] Æ [illegible] 128MB [illegible] U -[illegible]

[illegible]

[illegible]

!Mõ.4 Mõ.4



7Mõ.4

?

1 0&	1	Õ3	K

= A¤ :‹

4.1 A¤

1µ, .Û SZ JC D)4¥œ @¤P8 FA¤+M˜ >

2A¤ :+M˜ FPEýA3ä *o A¤FPE¤ :‹

3A¤ ÂDB-F? Ž ¥ >

4¥¤ SZ JC D)4¥¤ >

4.2 :B*D

q :‹ Æ

5L-	C0&	UAÚ	Ø3
1	G :0- … /1-1…	[0]	… 1…
2	B@ :0-English/1-c½	[1]	English c½
3	7• :0-7	[4]	7¥
4	LOGO:0-Ct/p /1-t/p	[0]	e\ t/p LOGO
5	,L* :0- /1-24 E, /2-12 E,	[0]	e\ t/p,L* +,L* rE

Ê = ½*~ B*D

5.1 ½M

t/p G	4(g•	D%	rE	#
	A1g 4(}	ARROW\H\1\DOWN.bmp	170*120 3V , 24 ƒ bmp rE	
	@ 1g(}	ARROW\H\1\UP.bmp	170*120 3V , 24 ƒ bmp rE	

t µ^

5.2 *[illegible]

[illegible] U -*[illegible]

1)^ +[illegible]GC016` C p Updata

2)^ Updata

Lz 1. Mini-USB BL2000-HEH-M2.3

µ Mini-USB	USBA

Mini-USB USBA

1. Mini-USB

			1	2	3	4
PW(J1)	3.96-4 *		24V			